

Infosafe No™ HXOPT	Issue Date : June 2007	ISSUED by RITTCO	CS: 1.4.22
--------------------	------------------------	------------------	------------

 Product Name : **BLACK MAGIC TIRE WET**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	BLACK MAGIC TIRE WET		
Product Code	BM23		
Company Name	RITTCO DISTRIBUTING		
Address	PO Box 23 Concord NSW 2137 Australia		
Emergency Tel.	13 11 16		
Recommended Use	TIRE DRESSING		
Other Names	<u>Name</u>	<u>Product Code</u>	
	BLACK MAGIC TIRE WET		

2. HAZARDS IDENTIFICATION

Hazard Classification	NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. Hazard classification according to the criteria of NOHSC. Dangerous goods classification according to the Australia Dangerous Goods Code.
------------------------------	--

3. COMPOSITION/INFORMATION ON INGREDIENTS

Information on Composition	Ingredient	Formula	
	LIGHT PETROLEUM DISTILLATES, HYDROTREATED	Not Available	
	NON HAZARDOUS INGREDIENTS	Not Available	
Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	LIGHT PETROLEUM DISTILLATES, HYDROTREATED	64742-47-8	50-90 %
	NON HAZARDOUS INGREDIENTS	Not Available	Remainder

4. FIRST AID MEASURES

Inhalation	If over exposure occurs leave exposure area immediately. If irritation persists, seek medical attention.
Ingestion	DO NOT induce vomiting. Immediately wash out mouth with water, and then give water to drink. Seek medical attention.
Skin	Gently flush affected areas with water. Seek medical attention if irritation develops.
Eye	Flush gently with running water for 15 minutes.
First Aid Facilities	Eye wash facilities and safety shower are recommended.
Advice to Doctor	Treat symptomatically

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Dry agent, carbon dioxide or foam. Prevent contamination of drains or waterways. Absorb runoff with sand or similar.
Specific Hazards	Combustible. Evacuate area and contact emergency services. Toxic gases (hydrocarbons, carbon oxides) may be evolved when heated. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self-Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
Hazchem Code	None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal	If spilt (bulk), contact emergency services if appropriate. Wear splash-proof goggles, neoprene/nitrile/viton gloves, a Type A (Organic vapour) respirator (where an inhalation risk exists), coveralls and boots. Ventilate and clear area of all unprotected personnel. Absorb spill with sand or similar & place in clean, sealed containers for disposal. CAUTION: Spills may be slippery.
------------------------------	--

Infosafe No™ HXOPT	Issue Date : June 2007	ISSUED by RITTCO	CS: 1.4.22
--------------------	------------------------	------------------	------------

Product Name : **BLACK MAGIC TIRE WET**

7. HANDLING AND STORAGE

Precautions for Safe Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.
Conditions for Safe Storage	Store out of direct sunlight and out of the reach of children, in a cool, dry, well ventilated area, removed from oxidising agents (eg. hypochlorites), acids (sulphuric acid), heat sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Large storage areas should have appropriate ventilation systems. Store as a Class C1 Combustible Liquid (AS1940).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards	No exposure standard(s) allocated.
Biological Limit Values	No biological limit allocated.
Engineering Controls	Do not inhale vapours. Use in well ventilated areas. In poorly ventilated areas, mechanical extraction ventilation is recommended.
Personal Protective Equipment	Wear splash-proof goggles and neoprene or nitrile gloves. When using large quantities or where heavy contamination is likely, wear coveralls. Where an inhalation risk exists, wear a Type A (Organic vapour) Respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear colourless liquid
Odour	Cherry odour
Melting Point	Not available
Boiling Point	176.7°C
Solubility in Water	Insoluble
Specific Gravity	Not available
pH Value	Not available
Vapour Pressure	Not available
Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Volatile Component	Not available
Flash Point	86.7°C
Flammability	Combustible. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. May also evolve formaldehyde when heated to decomposition. CLASS C1 COMBUSTIBLE
Auto-Ignition Temperature	Not available
Explosion Limit - Upper	Not available
Explosion Limit - Lower	Not available

10. STABILITY AND REACTIVITY

Incompatible Materials	Incompatible with oxidising agents (eg. hypochlorites, peroxides), acids (eg. sulphuric acid), heat and ignition sources.
Hazardous Decomposition Products	Incompatible with oxidising agents (eg. hypochlorites, peroxides), acids (eg. sulphuric acid), heat and ignition sources.

11. TOXICOLOGICAL INFORMATION

Infosafe No™ HXOPT	Issue Date :June 2007	ISSUED by RITTCO	CS: 1.4.22
--------------------	-----------------------	------------------	------------

Product Name : **BLACK MAGIC TIRE WET**

Toxicology Information	Toxicity Data: No LD50 data available for this product.
Health Hazard	This product has the potential to cause adverse health effects with direct eye contact, prolonged skin contact or vapour inhalation at high levels. Use safe work practices to avoid eye or skin contact and vapour generation/inhalation.
Inhalation	Over exposure may result in mucous membrane irritation of the nose and throat and coughing, dizziness and headache.
Ingestion	Ingestion of large doses may result in nausea, vomiting, abdominal pain, diarrhoea, and drowsiness. Aspiration may result in chemical pneumonitis and pulmonary oedema.
Skin	Prolonged and repeated contact may result in drying and defatting of the skin with rash and dermatitis.
Eye	Exposure may result in irritation, pain and redness.

12. ECOLOGICAL INFORMATION

Ecological Information	Environment: Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.
-------------------------------	---

13. DISPOSAL CONSIDERATIONS

Waste Disposal	For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved. Prevent contamination of drains and waterways as aquatic life may be threatened and environmental damage may result.
Local Legislation	Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

Transport Information	NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE
Sub.Risk	None Allocated
Hazchem Code	None Allocated
Packing Group	None Allocated

15. REGULATORY INFORMATION

Regulatory Information	Poison Schedule: Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
Poisons Schedule	S5
AICS (Australia)	All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Other Information	<p>RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.</p>
--------------------------	--

WORK PRACTICES - SOLVENTS: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

ABBREVIATIONS:
mg/m³ - Milligrams per cubic metre
ppm - Parts Per Million



Material Safety Data Sheet

CS: 1.4.22

Page: 4 of 4

Infosafe No™ HXOPT Issue Date : June 2007 ISSUED by RITTCO CS: 1.4.22

Product Name : **BLACK MAGIC TIRE WET**

TWA/ES - Time Weighted Average or Exposure Standard.

CNS - Central Nervous System

NOS - Not Otherwise Specified

pH - relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is highly alkaline.

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

M - moles per litre, a unit of concentration.

IARC - International Agency for Research on Cancer.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Prepared By Risk Management Technologies

5 Ventnor Ave, West Perth

Western Australia 6005

Phone: +61 8 9322 1711

Fax: +61 8 9322 1794

Email: info@rmt.com.au

Web: www.rmt.com.au

This MSDS has been transcribed into Infosafe NOHSC format from an original issued by the manufacturer on the date shown. Any disclaimer by the manufacturer may not be included in the transcription.

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.

The compilation of MSDS's displayed on this site is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed on this site is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed on this site cannot be